

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	DE10028397A.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 09:49
S2	0	DE-10028397-A.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 09:50
S3	4	\$-10028397-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:02
S4	1	\$-19651075-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:29
S5	3	\$-9940522-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:09
S6	125	(data NEAR2 stream NEAR2 memory) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:38
S7	6	(data NEAR2 stream NEAR2 memory) NEAR2 register AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:41

EAST Search History

S8	34	(data stream memory) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:42
S9	4	(RAM PAE) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:42
S10	0	((register NEAR3 allocat\$3) AND (register NEAR3 (de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4))) AND 712/10,15.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:08
S11	400	((register NEAR3 allocat\$3) AND (register NEAR3 (de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4))) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:03
S12	2	S11 AND S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:04
S13	50	"712".clas. AND (register NEAR5 RAM) SAME (allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:08
S14	2	((register NEAR3 allocat\$3) AND (register NEAR3 (de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4))) AND 712/10,15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:09

EAST Search History

S15	222	712/15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:08
S16	3	712/15.ccls. AND (RAM NEAR10 (PAE OR (process\$3 NEAR3 array NEAR3 element) OR (process\$3 NEAR3 element)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:11
S17	24	712/15.ccls. AND (register NEAR10 (PAE OR (process\$3 NEAR3 array NEAR3 element) OR (process\$3 NEAR3 element)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:17
S18	2	S15 AND ((register set OR set OR register OR context) NEAR2 (change OR switch)) SAME \$2alloc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:21
S19	5	S15 AND (vector NEAR2 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:23
S21	74	(allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4) NEAR10 (vector NEAR2 register) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:27
S22	11	(allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4) NEAR10 (vector NEAR2 register) AND context switching AND "712". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:29

EAST Search History

S23	37	(allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4) NEAR10 (vector NEAR2 register) AND \$2configura\$5 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:31
S24	16	Vector Register Allocation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:40
S25	7	multithread\$3 NEAR3 register NEAR3 (allocat\$3 OR assign\$4) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:41
S26	68	multi\$thread\$3.ab. AND register set AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:01
S27	49	(\$2configura\$4 OR \$2programm\$4) AND register set NEAR8 (switch OR swap OR change) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:06
S28	5	(\$2configura\$4 OR \$2programm\$4) AND register set NEAR8 (switch OR swap OR change) AND multithread\$4 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:06
S29	20	712/15.ccls. AND register set	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:12

EAST Search History

S30	58	(register window).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 14:55
S31	22	(register window).ti. AND "712". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 14:55
S32	28	register NEAR5 (read NEAR2 write NEAR2 simultaneous\$3) AND "712". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:22
S33	14	FIFO memory SAME divi\$4 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:24
S34	142	FIFO (memory OR register) SAME (read OR write) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:30
S35	17	FIFO NEAR2 register NEAR10 pointer AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:30
S36	4	\$-10028397-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:09

EAST Search History

S37	1	\$-19651075-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:13
S38	4	\$-940522-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:13
S39	3	\$-9940522-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:13
S40	19	(FIFO NEAR2 (register OR queue)) NEAR10 (boundar\$3 OR divid\$3 OR split\$3 OR partition\$3 OR subdivid\$3 OR separat\$3) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 14:19
S41	369	(FIFO NEAR2 (register OR queue)) NEAR10 (boundar\$3 OR divid\$3 OR split\$3 OR partition\$3 OR subdivid\$3 OR separat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 14:19
S42	350	(FIFO NEAR2 (register OR queue)) NEAR10 (boundar\$3 OR divid\$3 OR split\$3 OR partition\$3 OR subdivid\$3 OR separat\$3) NOT S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 14:19
S43	2	"20040168099"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:18

EAST Search History

S44	0	712/15.ccls. AND ((data NEAR4 cells) NEAR10 reconfigurable) AND (stack SAME underflow SAME overflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:20
S45	0	712/15.ccls. AND reconfigurable AND (stack SAME underflow SAME overflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:21
S46	0	712/15.ccls. AND (stack SAME underflow SAME overflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:21
S47	4	712/15.ccls. AND stack AND underflow AND overflow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:22
S48	12	((stack underflow AND stack overflow) NEAR10 indicat\$3) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:45
S49	6	((stack underflow AND stack overflow) NEAR10 indicat\$3) AND "712".clas. AND \$2configur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:27
S50	169	stack AND overflow AND underflow AND (reconfigurable OR reprogrammable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:28

EAST Search History

S51	44	stack AND overflow AND underflow AND (reconfigurable OR reprogrammable) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:08
S52	2	stack AND overflow AND underflow AND (reconfigurable OR reprogrammable) process\$3 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:29
S53	201	((reconfigurable OR reprogrammable) (processor OR architecture OR comput\$3)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:35
S54	1	S53 AND (stack SAME (overflow OR underflow))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:36
S55	1	S53 AND (stack AND (overflow OR underflow))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:36
S56	1	S53 AND (stack SAME exception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:40
S57	8	S53 AND (stack AND exception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:40

EAST Search History

S58	295	stack AND reconfigur\$5 AND exception AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:45
S59	103	(stack SAME exception) AND reconfigur\$5 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:50
S60	12	(stack AND exception) AND reconfigur\$5.ti. AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:06
S61	240	stack SAME (overflow) AND underflow AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:06
S62	193	stack SAME (overflow AND underflow) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:10
S63	15	stack SAME (overflow AND underflow) AND "712".clas. AND (reconfigur\$5 OR reprogram\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:12
S64	113	stack SAME (exception) AND "712".clas. AND (reconfigur\$5 OR reprogram\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:12

EAST Search History

S65	12	reconfigur\$4.ti. AND "712".clas. AND vector register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:00
S66	0	"09902959"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:01
S67	92	vector register AND data stream AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:03
S68	171	Reconfigurable AND Array AND Macrocells	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:02
S69	3	(Reconfigurable AND Array AND Macrocells).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:02
S70	6	(vector register SAME data stream) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:04
S71	98	(register NEAR5 data stream) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:06

EAST Search History

S72	37	(register NEAR5 data stream) AND (reconfigur\$5 OR reprogram\$5) (process\$3 or comput\$3) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:08
S73	148	Panwar.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:10
S74	1	WO9940522	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 08:35